

labware



@ Display 9

The customer-side graphic display for your IQ POS system

An accessory that fits in perfectly with the design of the IQ line and completes your checkout point, making the shopping experience more transparent and enjoyable. It also allows interaction between the checkout point and the customer.

IQ Display 9

The elegant and functional 9-inch colour graphic display on the customer side is an accessory that fits in perfectly with the IQ design and completes your checkout point, making the shopping experience more transparent and enjoyable. It also allows interaction between the checkout point and the customer.

The customer display has been optimised to create two distinct areas of the screen to communicate different information to the customer. The copy of the receipt is shown with the list of articles and the total and, at the same time, the system offers the possibility of displaying images or promotional messages.



FUNCTIONS:

IQ Display 9 shows the open account with a maximum of 9 lines of articles, as well as the total that the customer can see at all times

IQ Display 9 shows a slideshow of images, or a single still image, previously uploaded and configured on IQ

By means of IQ Display 9 it is possible to configure after how many seconds IQ should go into stand-by and, above all, how long each image of the promotional slideshow should remain on the screen

WHY CHOOSE IQ DISPLAY 9?

- ✓ To display the QR code to be scanned by the customer in order to obtain the Digital Receipt
- ✓ To improve the customer experience and ensure transparency, accuracy and cut down on errors at the ringing up and payment stage
- ✓ To provide your POS with a fully customisable display to communicate whatever messages you like to your customers
- ✓ To make it easier for customers to access your loyalty program
- ✓ You can place it wherever you like, in free-standing mode or integrated into your POS, customising and simplifying your work area



Loyalty Program



Slideshow of images



Technische Daten:

- ✓ **TFT-LCD-Display mit 9" Anzeigefläche, Auflösung 1024x600 (kein Touch)**
- ✓ **24V/2,5A Eingangsspannung (das gleiche Netzteil, das für IQ und DOT Drucker verwendet wird)**
- ✓ **Nur an IQ-Systeme anschließbar, im kabelgebundenen Modus: USB-Kabel Typ A-B**
- ✓ **Automatisches Ein/Aus (gesteuert durch IQ)**
- ✓ **Standard-Halterung für freistehende Positionierung oder im Kassenbereich integriert.**

Technische Daten und Produktinformationen können ohne vorherige Ankündigung geändert werden. Ausgewiesene Marken und Logos gehören ihren jeweiligen Eigentümern.

labware
innovation is an attitude

LABWARE S.p.A
Via Enzo Ferrari, 3 - Zona Ind. "A", Civitanova Marche (MC), Italy
GPS position: 43° 17' 2" N, 13° 40' 51" E
www.labware.it

